



Product Name	100D UHMWPE	Reference Standard
Product Code	U-TSHJ-005	
Brand/Model		
Width	160cm (+5/-5cm)	ISO 22198:2006
Gram Weight	500gsm (±5)	ISO 3801:1978
Fibre Composition	100D UHMWPE	
Construction Pattern	KNIT	
Colour	WHITE	
Finishing		
Dimensional Stability	≤5%	ISO 5077:2007 After 5 *Cleaning Cycles at 40°C
Formaldehyde Content (mg/kg)	Not Detectable	ISO 14184.1:2011
pH Value	6	ISO 3701:2005
Colour Fastness to Washing	4	ISO 105-C06:2010
Colour Fastness to Perspiration	4	ISO 105-E04:2013
Colour Fastness to Rubbing	4(Dry Staining)	ISO 105-X12:2016
Colour Fastness to Rubbing	3-4 (Wet Staining)	ISO 105-X12:2016
Colour Fastness to Light	3	ISO 105-B02:2014
Water repellency(Dynamic absorption Initial)	4	AATCC 70-3.9.5
Water repellency(Dynamic absorption Laundered)	4	AATCC 70-3.9.5
Water repellency(Spray) Initial	4	AATCC 22
Water repellency(Spray) Laundered	3-4	AATCC 22
Pilling Resistance	4	ISO 12945-1:2000
Wash Recommendations		EN ISO 6330:2013, 4N 40°C

CONTACT US AT:**SYNERTEX MATERIAL TECHNOLOGY**

Room 308, Zone 1, Building B, No. 6433, Yinggang East Road, Zhaoxiang Town, Qingpu District, Shanghai China, 201705

Phone: +86 21 6976 1398 Email: info@synertexmaterial.com

Website: www.synertexmaterial.com; www.recycledprotectivefabrics.com

All the data listed in the above table are either individual test results or the most typical indicative parameters to the best of our knowledge. Owing to existence of possible variation or deviation from case to case, the data and information shown in the table is only for your reference. However, Synertex Material Technology assumes no liability for the accuracy or completeness of the information.